

NetKey™ ***CABLING*** ***SYSTEM***

TELECOMMUNICATIONS
ROOM TO WORK AREA



NetKey™ LINE CARD

NETKEY™ CABLING SYSTEM

The **NETKEY™** Cabling System provides a complete, standards compliant cabling infrastructure solution for voice, data and video applications. **NETKEY™** Modules feature the universal “keystone” design and are compatible with a wide assortment of modular patch panels, faceplates and surface mount boxes. When teamed with complementary **PANDUIT** products, the **NETKEY™** solutions cover all your needs from the telecommunication room to the work area with the proven innovation and quality you depend on from **PANDUIT**.



1 **NETKEY™**
Copper Cable



2 **NETKEY™** Modules



3 **NETKEY™** Patch Cords



4 **NETKEY™**
Patch Panels



5 **NETKEY™** Faceplates
and Surface
Mount Boxes



6 Media
Distribution



7 Racks and Cable
Management



8 Identification
and Labelling
Systems



NETKEY™ Copper Cable

- Meets ANSI/TIA/EIA Category 6 and 5e performance requirements
- Descending length cable markings enable easy identification of remaining cable
- Third party verified
- 305m (1,000 ft.) in an easy-pay-out box



Category 6



Category 5e

Part Number	Description
NETKEY™ Category 6 UTP Copper Cable	
NUL6C04BU-CE	Category 6, low smoke zero halogen (LSZH), 4-pair, UTP, blue copper cable.
NUC6C04BU-CE	Category 6, PVC (CM), 4-pair, UTP, blue copper cable.
NETKEY™ Category 5e UTP Copper Cable	
NUL5C04BU-CE	Category 5e, low smoke zero halogen (LSZH), 4-pair, UTP, blue copper cable.
NUC5C04BU-CE	Category 5e, PVC (CM), 4-pair, UTP, blue copper cable.

NETKEY™ Category 6, 5e and 3 Jack Modules

- Meet all industry performance standards for Category 6, 5e, and 3
- Punchdown jack modules are 100% performance tested and individually serialised for future traceability
- Snap in and out of keystone openings for easy moves, adds, and changes
- Universal label includes T568A and T568B wiring schemes



NK688MBL
NKP5E88MBL



NK688MBL-Q
NKP5E88MBL-Q



NK5E88MIWY



NK5E88MBU-Q

NEW!

Part Number	Description
NETKEY™ Category 6 UTP Jack Modules	
NK688MIW	Category 6, 8-position, 8-wire, keystone punchdown jack module.
NK688MIW-Q	Convenience pack of 25, Category 6, 8-position, 8-wire, keystone punchdown jack modules.
NETKEY™ Category 5e UTP Jack Modules	
NKP5E88MIW	Category 5e, 8-position, 8-wire, keystone punchdown jack module.
NKP5E88MIW-Q	Convenience pack of 25, Category 5e, 8-position, 8-wire, keystone punchdown jack modules.
NK5E88MIWY	Category 5e, 8-position, 8-wire, keystone lead frame jack module.
NK5E88MIW-Q	Convenience pack of 25, Category 5e, 8-position, 8-wire, keystone lead frame jack modules.

*For standard colours other than IW (Off White), replace suffix with AW (Arctic White), EI (Electric Ivory), IG (International Grey), WH (White), BL (Black), BU (Blue), RD (Red), YL (Yellow), GR (Green) or VL (Violet). To order convenience package of 25 jack modules, add -Q to end of part number.

Termination Tools



JR-PAN-2



PDT110



NKSPB

NEW!

Part Number	Description
NETKEY™ Jack Module Termination Tool	
JR-PAN-2*	Fluke** JackRapid Termination Tool for Category 6 and Category 5e NETKEY™ Punchdown Modules.

*Fluke JackRapid Termination Tool available through distribution. Contact Fluke customer service at 800-283-5853 to locate a local distributor.

**Fluke is a registered trademark of Fluke Corporation.

Part Number	Description
PAN-PUNCH™ Termination Tool	
PDT110	Single pair punchdown tool and blade terminates and cuts UTP cable in one operation. Ideal for use with PAN-PUNCH™ Punchdown System.
PDTH110	Replacement blade for single pair punchdown tool (PDT110).
Punchdown Base	
NKSPB	Base used to assist in terminating punchdown modules.

NETKEY™ Copper UTP Patch Cords

- Meet all industry performance standards for Category 6 and 5e
- 100% performance tested



Category 5e

- Available in a variety of colours and lengths for design flexibility

Part Number	Description	Length (m)
NetKEY™ Category 6 UTP Patch Cords		
NK6PC1MY	Category 6, UTP patch cord with modular plugs on each end.	1
NK6PC2MY		2
NK6PC3MY		3
NK6PC4MY		4
NK6PC5MY		5
NetKEY™ Category 5e UTP Patch Cords		
NK5EPC1MY	Category 5e, UTP patch cord with modular plugs on each end.	1
NK5EPC2MY		2
NK5EPC3MY		3
NK5EPC4MY		4
NK5EPC5MY		5

*For standard colours other than Off White, add suffix BU (Blue), RD (Red), YL (Yellow) or GR (Green) before the Y in the part number.

NETKEY™ Patch Panels

- Mount to standard TIA/EIA 19" racks
- Punchdown patch panels meet all industry performance standards for Category 6 and 5e
- Modular patch panels accept all NETKEY™ Modules

- Optional angled versions available for high density installations
- Strain relief bars assist in cable management and bend radius control
- Filler panels reserve space for future use and direct airflow



NK6PPG12WY
NK5EPPG12WY



NK6PPG24Y
NK5EPPG24Y



NK6PPG48Y
NK5EPPG48Y



NKFP12W



NKFP24Y



NKFP48Y



NKPPA24FMY



NKPPA48FMY



NKMP24Y



NKMP48Y

Part Number	Description
Punchdown Patch Panels*	
Category 6	
NK6PPG12WY	Category 6, 12-port punchdown patch panel. Mounts to wall with standard 89D bracket (WB89D).
NK6PPG24Y	Category 6, 24-port punchdown patch panel, 1 RU.
NK6PPG48Y	Category 6, 48-port punchdown patch panel, 2 RU.
Category 5e	
NK5EPPG12WY	Category 5e, 12-port punchdown patch panel. Mounts with standard 89D bracket (WB89D).
NK5EPPG24Y	Category 5e, 24-port punchdown patch panel, 1 RU.
NK5EPPG48Y	Category 5e, 48-port punchdown patch panel, 2 RU.

*Punchdown patch panels are colour-coded for T568A and T568B wiring schemes.

Part Number	Description
Modular Patch Panels	
NKFP12W	12-port modular patch panel. Mounts to wall with standard 89D bracket (WB89D).
NKFP24Y	24-port modular patch panel, 1 RU.
NKFP48Y	48-port modular patch panel, 2 RU.
NKFP24KSRBSY	24-port modular patch panel with strain relief bar, 1 RU.
NKFP48KSRBSY	48-port modular patch panel with strain relief bar, 2 RU.

Flush Mount Patch Panels

NKPPA24FMY	24-port flush mount angled modular patch panel, 1 RU.
NKPPA48FMY	48-port flush mount angled modular patch panel, 2 RU.
NKPP24FMY	24-port flush mount modular patch panel, 1 RU.
NKPP48FMY	48-port flush mount modular patch panel, 2 RU.

All Metal Patch Panels

NKMP24Y	24-port all metal modular patch panel, 1 RU.
NKMP48Y	48-port all metal modular patch panel, 2 RU.

NETKEY™ Patch Panel Accessories



WB89D



SRB19BLY



SRBS19BL-XY



SRBM19BLY



DPFP1



CPAF2BLY

Part Number	Description
Wall Mount Bracket	
WB89D	Wall mount bracket. Ideal for use with 12-port punchdown or modular patch panels.

Strain Relief Bars	
SRB19BLY	Strain relief bar extends 2" from standard 19" rack for additional cable support.
SRBM19BLY	Strain relief bar and <i>TAK-TY™</i> Hook & Loop Cable Ties for additional cable support.
SRBS19BL-XY	Straight strain relief bar.

Filler Panels	
DPFP1	1 RU flat filler panel.
DPFP2	2 RU flat filler panel.
CPAF1BLY	1 RU angled filler panel.
CPAF2BLY	2 RU angled filler panel.

NETKEY™ Faceplates

- Accept all NETKEY™ Modules
- Integrated label and icon slots



NK6CSAW-X



NKFPLUKF2SAW



NKFPLUKF4SAW



NK2HSFAWY



NK4HSFAWY

- Available in a variety of port densities
- Optional labels for easy port identification

Part Number	Description
UK	
NK6CSAW-X	Single gang, 25.4mm x 32mm, shuttered adapter. Compatible with LJU6C frame. Accepts one NETKEY™ Module.
NKFPLUKF2SAW	Single gang, 86mm x 86mm, shuttered faceplate with label and icon slots. Accepts two NETKEY™ Modules. Includes two M3.5-0.5 x 30mm panhead mounting screws.
NKFPLUKF4SAW	Single gang, 86mm x 86mm, shuttered faceplate with label and icon slots. Accepts four NETKEY™ Modules. Includes two M3.5-0.5 x 30mm panhead mounting screws.

Italian

NK2HSFAWY	Single gang, horizontal, sloped faceplate with labels and icon slots. Accepts two NETKEY™ Modules.
NK4HSFAWY	Single gang, horizontal, sloped faceplate with labels and icon slots. Accepts four NETKEY™ Modules.

AW in part number represents Arctic White.

NETKEY™ Faceplate Kits



NKUKS2AW



NKUKS4AW-2G



NKUKS2SAW



NKUKS4SAW-2G

Part Number	Description
UK	
NKUKS2AW	Single gang, sloped faceplate kit with labels. Kit includes one 86 x 86mm faceplate frame and sloped insert. Accepts two NETKEY™ Modules.
NKUKS4AW-2G	Double gang, sloped faceplate kit with labels. Kit includes one 146mm x 86mm faceplate frame and two sloped inserts. Accepts four NETKEY™ Modules.
NKUKS2SAW	Single gang, sloped, shuttered faceplate kit with labels. Kit includes one 86mm x 86mm faceplate frame and one sloped, shuttered insert. Accepts two NETKEY™ Modules.
NKUKS4SAW-2G	Double gang, sloped, shuttered faceplate kit with labels. Kit includes one 146mm x 86mm faceplate frame and two sloped, shuttered inserts. Accepts four NETKEY™ Modules.

NETKEY™ Faceplate Kits (Continued)



NKFS2AW



NKFS2SAW



NKAGS2AW



NKAGS2SAW



NKDS2EW



NKDS2SEW



NKLK66S2EW



NKLK66S2SEW



NKLKCLS2EW



NKLKCLS2SEW

Part Number	Description
French, Spanish, Belgian and Portuguese	
NKFS2AW	Single gang, sloped faceplate kit. Kit includes one 45mm x 45mm faceplate frame and one sloped insert. Accepts two <i>NETKEY™</i> Modules.
NKFS2SAW	Single gang, sloped, shuttered faceplate kit. Kit includes one 45mm x 45mm faceplate frame and one sloped, shuttered insert. Accepts two <i>NETKEY™</i> Modules.
German	
NKAGS2AW	Single gang sloped, shuttered faceplate kit with labels. Kit includes one 50mm x 50mm faceplate frame and one sloped, shuttered insert. Accepts two <i>NETKEY™</i> Modules.
NKAGS2SAW	Single gang, sloped faceplate kit with labels. Kit includes one 50mm x 50mm faceplate frame and one sloped insert. Accepts two <i>NETKEY™</i> Modules.
Danish	
NKDS2EW	Single gang, sloped, faceplate kit with labels. Kit includes one 71.1mm x 50.4mm faceplate frame and one sloped insert. Accepts two <i>NETKEY™</i> Modules.
NKDS2SEW	Single gang, sloped, shuttered faceplate kit with labels. Kit includes one 77.1mm x 50.4mm faceplate frame and one sloped, shuttered insert. Accepts two <i>NETKEY™</i> Modules.
NKLK66S2EW	Single gang, sloped, faceplate kit. Compatible with LK Opus 66* frame. Kit includes one 58.8mm x 58.8mm faceplate frame and one sloped insert. Accepts two <i>NETKEY™</i> Modules.
NKLK66S2SEW	Single gang, sloped, shuttered faceplate kit. Compatible with LK Opus 66* frame. Kit includes one 58.8mm x 58.8mm faceplate frame and sloped, shuttered insert. Accepts two <i>NETKEY™</i> Modules.
NKLKCLS2EW	Single gang, sloped, faceplate kit with labels. Compatible with LK Clic'line* frame. Kit includes one 71.3mm x 45mm faceplate frame and one sloped insert. Accepts two <i>NETKEY™</i> Modules.
NKLKCLS2SEW	Single gang, sloped, shuttered, faceplate kit with labels. Compatible with LK Clic'line* frame. Kit includes one 71.3mm x 45mm faceplate frame and one sloped, shuttered insert. Accepts two <i>NETKEY™</i> Modules.

AW in part number represents Arctic White. EW represents European White.
*Opus 66 and Clic'line are trademarks of Lauritz Knudsen.

NETKEY™ Inserts, Frames and Adapters



NKHS2AW-X



NKHS2SAW-X



CBUKAWY



CBUKAW-2GY



CBAGAW



FCFPAW



CBFPAW

Part Number	Description
Inserts	
NKHS2AW-X	1/2 size, sloped modular insert. Accepts two <i>NETKEY™</i> Modules.
NKHS2SAW-X	1/2 size, sloped, shuttered modular insert. Accepts two <i>NETKEY™</i> Modules.
Frames	
CBUKAWY	86mm x 86mm, single gang faceplate frame with label. Accepts one 1/2 size module insert.
CBUKAW-2GY	86mm x 146mm, double gang faceplate frame with labels. Accepts two 1/2 size module inserts.
CBAGAW	50mm x 50mm, single gang faceplate frame with labels. Accepts one 1/2 size module insert.
FCFPAW	80mm x 80mm, faceplate frame accepts all 50mm x 50mm adapters.
Adapter	
CBFPAW	45mm x 45mm adapter, accepts one 1/2 size module insert.

AW in part number represents Arctic White.

NetKEY™ Modular Furniture Faceplate



NK4MFBL

Part Number	Description
NK4MFBL	Snap on modular furniture faceplate. Compatible with modular furniture panel cutout dimensions 34mm to 35.56mm - 67mm to 69mm. Accepts up to four NetKEY™ Modules.

For standard colour other than Black, replace BL in part number with AW (Arctic White).

NetKEY™ Surface Mount Boxes

- Accept all NetKEY™ Modules
- Include mounting screws and adhesive tape; optional magnet available



NK2BXIW-A



NK4BXIW-AY



NK6BXIW-AY



CBM-X

Part Number	Description
NK2BXIW-A	Surface mount box accepts two NetKEY™ Modules.
NK4BXIW-AY	Surface mount box accepts four NetKEY™ Modules.
NK6BXIW-AY	Surface mount box accepts six NetKEY™ Modules.
CBM-X	Optional magnet for mounting on metal surfaces.

For surface mount box standard colours other than IW (Off White), replace suffix with EI (Electric Ivory), WH (White) or BL (Black).

NetKEY™ Audio/Video Modules



NKFIW



NKBNCFIWIW



NKRSMBIWIW



NKRTMRIW



NKRPMRIW



NKSPMIW



NKSVCIW



NKBPBIWIW



NK35MSCIW



NK35MSSIW



NKBMIW-X

Part Number	Description
-------------	-------------

F-Type Module

NKFIW	Keystone module supplied with 75 ohm industry standard F-Type coax bulkhead coupler.
-------	--

50 Ohm BNC Coax Module

NKBNCFIWIW	Keystone module supplied with 50 ohm industry standard coax bulkhead coupler.
------------	---

RCA Modules

NKRSM^IWIW	Keystone module supplied with RCA solder type connector. Inserts available in multiple colours.
NKRTM^IWIW	Keystone module supplied with RCA pass-through connector. Inserts available in multiple colours.
NKRPM^IWIW	Keystone module supplied with RCA punchdown connector. Inserts available in multiple colours.

S-Video Modules

NKSPMIW	Keystone module supplied with SVHS punchdown connector.
NKSVCIW	Keystone module supplied with S-Video pass-through connector.

5-Way Binding Post Module

NKBP^IWIW	Keystone module supplied with 5-way binding post. Inserts available in multiple colours.
-----------	--

3.5mm Stereo Connector

NK35MSSIW	Keystone module supplied with 3.5mm (1/8") stereo solder type headset coupler.
NK35MSCIW	Keystone module supplied with 3.5mm (1/8") stereo headset coupler.

HDMI Coupler

NKHDMIW	Keystone module supplied with one HDMI coupler.
---------	---

Blank Module

NKBMIW-X	Blank keystone module reserves space for future use.
----------	--



^To designate insert colour, replace ^ with R (Red), Y (Yellow) or W (White). RCA solder type module (NKRSMBIWIW) also available with B (Black) insert.
 ^^To designate insert colour, replace ^^ with R (Red) or B (Black).
 For standard colours other than IW (Off White), replace suffix with EI (Electric Ivory), WH (White), IG (International Grey) or BL (Black). 5-Way Binding Post Module (NKBP^IWIW) only available in EI (Electric Ivory) and WH (White).

NEW! Media Distribution Enclosures

- Enclosures offer easy installation, flexibility for quick modifications and scalability for future growth needs
- Grid pattern in base provides mounting and flexibility for the hubs
- Cantilever mounting slots flex to accommodate misaligned studs
- Integrated drywall positioning slots
- Hinged door (optional) available with lock and key



MS14B



MS14HD



MSB14E



Populated
Advanced Enclosure

Part Number	Description
-------------	-------------

Advanced Enclosure Bases

MS14B	14" x 14" media distribution enclosure base. 14.25"H x 14.25"W x 4.00"D (362.0mm x 362.0mm x 101.6mm).
MS24B	14" x 24" media distribution enclosure base. 24.25"H x 14.25"W x 4.00"D (616.0mm x 362.0mm x 101.6mm).

Hinged Doors

MS14HD	14" x 14" hinged door with lock and key. 15.81"H x 15.75"W x .87"D (401.6mm x 400.00mm x 22.1mm).
MS24HD	14" x 24" hinged door with lock and key. 25.81"H x 15.75"W x .87"D (655.6mm x 400.00mm x 22.1mm).

Base and door for advanced enclosures sold separately.

Basic Enclosures

MSB14E	14" x 14" media distribution basic enclosure with screw down door. 14.25"H x 14.25"W x 4.00"D (362.0mm x 362.0mm x 101.6mm).
MSB24E	14" x 24" media distribution basic enclosure with screw down door. 24.25"H x 14.25"W x 4.00"D (616.0mm x 362.0mm x 101.6mm).

All product colour is White.

NEW! Media Distribution Voice (Phone) Hubs

- Split incoming phone lines up to eight locations to provide basic phone, fax, and modem services
- Expansion hub (optional) available for an additional eight connections



NKM8PD



NKM8PE

Part Number	Description
NKM8PD	Phone distribution hub with test ports and a security interface.
NKM8PE	Phone expansion hub.

All product colour is Black.

NEW! Media Distribution Patch Panel

- Front accessible
- Accept all NETKEY™ Modules



NKM8PP

Part Number	Description
NKM8PP	8-port modular patch panel.

All product colour is Black.

NEW! Media Distribution Video Splitters

- Split incoming video/coax to distribute services
- Pre-mounted onto metal bracket for quick installation



MS4S2G



MS8S2G

- Snap directly into grid patterned enclosures for easy installation, moves, adds and changes

Part Number	Description
1 GHz Splitters	
MS4S1G	Media distribution 1 x 4 passive video splitter with 1 GHz performance to distribute high-quality RF signals to up to four outputs.
MS8S1G	Media distribution 1 x 8 passive video splitter with 1 GHz performance to distribute high-quality RF signals to up to eight outputs.
2 GHz Splitters	
MS4S2G	Media distribution 1 x 4 passive video splitter with 2 GHz performance to distribute high-quality RF signals to up to four outputs.
MS8S2G	Media distribution 1 x 8 passive video splitter with 2 GHz performance to distribute high-quality RF signals to up to eight outputs.

NEW! Media Distribution Data Hub

- Meets Category 5e performance standards
- Front side 110 punchdown termination



NKM5E6PP


- Allows easy access to connections within the enclosure

Part Number	Description
NKM5E6PP	Media distribution data hub for up to six different locations.

All product colour is Black.

NEW! Media Distribution Accessories

- Bracket accepts third party equipment for design flexibility
- Cable management kit assists in proper cable routing within the enclosure



MSEBRKT



MSCM-KIT

- Grounding kit includes assists in properly grounding media distribution
- Cable management ring controls cable bend radius



MSGRD-KIT




MSCMR

Part Number	Description
Media Distribution Kits	
MSEBRKT	Media distribution equipment bracket that allows a variety of third-party equipment to be securely mounted within an enclosure.
MSCM-KIT	Media distribution cable management kit that includes the necessary components to help manage cables.
MSGRD-KIT	Media distribution grounding kit that includes necessary components to help ground media distribution.
Media Distribution Cable Management Ring	
MSCMR	Media distribution cable management ring.


GridRunner™ Underfloor Cable Routing System

- Wire baskets used with pedestal brackets carry cables horizontally in underfloor installations and provide secure connection and electrical bond to raised floor pedestal; available in two depths 100mm and 150mm and two lengths 600mm and 1200mm
- Wire baskets feature all rounded edges; require no cutting or deburring of sharp edges
- Wire baskets, pedestal brackets and accessories are made of pre-galvanized steel wire
- Pre-assembled pedestal bracket supports wire baskets on all three sides of a single support bracket
- Accommodates 600mm x 600mm raised floor grids


GridRunner™ Wire Baskets




GR21X6X24PG



GR21X6X48PG




GR21X4X24PG




GR21X4X48PG



GRPBPB



GRCLAMPPG-X




GRFWC21PG



GPQC1/0

Part Number	Description
Wire Basket Sections	
GR21X6X24PG	530mm wide x 150mm deep x 600mm long section.
GR21X6X48PG	530mm wide x 150mm deep x 1200mm long section.
GR21X4X24PG	530mm wide x 100mm deep x 600mm long section.
GR21X4X48PG	530mm wide x 100mm deep x 1200mm long section.
Pedestal Bracket	
GRPBPB	Pre-assembled bracket quickly attaches to all 22.2mm square and 25.4mm diameter raised floor pedestals.
Pedestal Clamp	
GRCLAMPPG-X	Used in conjunction with pedestal bracket to fasten wire basket sections to the pedestal.
Universal Intersection	
GRFWC21PG	Mounts to pedestal bracket to create four way cross, horizontal tee, right angles and transitions to other size wire basket sections. Use 7/16" nut driver to assemble.
Access Floor Grounding Clamp	
GPQC1/0	Access floor grounding clamp accepts up to two conductors in sizes #6-1/0 AWG; 88.9mm length, 44.5mm width, 88.9mm height; works with 19.1mm to 22.2mm square and 19.9mm to 25.4mm round pedestals.


Cable Fills GridRunner™ Underfloor Cable Routing System




"X"	"Y"	Category 6 Diameter 6.35mm	Category 5e Diameter 4.75mm	Fibre Optic Distribution Cable Diameter 12.7mm
		50% Fill		
551.18mm	101.6mm	885	1580	221
551.18mm	152.4mm	1327	2372	332

Racks and Cable Management

- Cable management products and accessories maintain bend radius control and cable performance while bundling and securing cable to prevent snags and stress from over bending



CMR19X84



WMPV45E



WMP1E




CMPHF1



CMPH2



RGS134-10-1Y



RGCBNJ660PY

Part Number	Description
CMR19X84	Standard 19" aluminum rack. 2134mm H x 483mm W x 76mm D. 45 RU.
WMPV45E	NETRUNNER™ front and rear vertical cable manager with dual hinged cover, wire retainers and side mount brackets. 45 RU.
WMPSE	PATCHLINK™ front and rear horizontal cable manager with dual hinged cover. 1 RU.
WMP1E	PATCHLINK™ front and rear horizontal cable manager with dual hinged cover. 2 RU.
CMPH1	OPENACCESS™ front and rear horizontal cable manager with optional snap on cover. 1 RU.
CMPH2	OPENACCESS™ front and rear horizontal cable manager with optional snap on cover. 2 RU.
CMPHF1	OPENACCESS™ front only horizontal cable manager with optional snap on cover. 1 RU.
SRM19FM1	Rack mount shelf, 13.6 kg capacity, 1 RU.
SRM19FM2	Rack mount shelf, 22.6 kg capacity, 2 RU.
RGS134-1Y	Rack grounding strip (1.9m length, 17mm width, 1.27mm thickness). Provided with 5cc of antioxidant and three M6 x 12mm thread-forming screws.
RGS134-10-1Y	10 rack grounding strips (1.9m length, 17mm width, 1.27mm thickness). Provided with 5cc of antioxidant and 30 M6 x 12mm thread forming screws.
RGCBNJ660PY	Common bonding network to rack jumper kit.

For complete cable management and bonding/grounding offering, reference the *PANDUIT* Physical Infrastructure Systems Catalog (SA-NCCB51) or visit www.panduit.com.

Identification and Labeling Systems

- Variety of labeling systems and labels enable quick and easy network identification



LS8E



LS8E-KIT



TDP43MY

Part Number	Description
PANTHER™ LS8E Hand-Held Thermal Transfer Printer and Accessories	
LS8E	LS8E printer, one cassette of self-laminating labels, six AA alkaline batteries and quick reference card.
LS8E-KIT	LS8E printer, one cassette of self-laminating labels, six AA alkaline batteries, rigid carrying case, LS8-PCKIT, LS8-IB, operator's manual and quick reference card.
S100X150VAC	Self-laminating, white vinyl label for use with LS8E printer.
Thermal Transfer Desktop Printer and Accessories	
TDP43MY	300 dpi printer, PANDUIT™ EASY-MARK™ Labeling Software, hybrid black ribbon, AC power adapter with US and Europlug power cords, operator's manual and quick reference card.
S100X150VA1Y	Self-laminating, white vinyl label for use with thermal transfer desktop printer.

For complete identification offering, reference the *PANDUIT* Physical Infrastructure Systems Catalog (SA-NCCB51) or visit www.panduit.com.



PANDUIT Corp.
Tinley Park, Illinois 60477-3091

For more information
Visit us at www.panduit.com
Contact Customer Service by email: cs-emea@panduit.com
or by phone: 800-777-3300




PANDUIT Europe Ltd.
London, UK
cs-emea@panduit.com
Phone: 44.20.8601.7200



PANDUIT Japan
Tokyo, Japan
cs-japan@panduit.com
Phone: 81.3.6863.6000



PANDUIT Singapore Pte. Ltd.
Republic of Singapore
cs-ap@panduit.com
Phone: 65.6305.7575



PANDUIT Latin America
Jalisco, Mexico
cs-la@panduit.com
Phone: 52.333.777.6000



PANDUIT Australia Pty. Ltd.
Victoria, Australia
cs-aus@panduit.com
Phone: 61.3.9794.9020



PANDUIT Canada
Markham, Ontario
cs-cdn@panduit.com
Phone: 800.777.3300

WORLDWIDE HEADQUARTERS

For a copy of *PANDUIT* product warranties, log on to www.panduit.com/warranty